

SAFETY DATA SHEET

in accordance with REACH (1907/2006/EC, as amended by 2015/830/EU) 29 CFR 1910.1200 and WHMIS 2015

Revision date: 9 May 2018 Initial date of issue: 20 May 2010 SDS No. 1129-4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

1730SC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Polytetrafluoroethylene (PTFE) coated aramid fiber. For use against water, steam, solvents, oil, mild acids and alkalis, pH 1-13. Not recommended for use in potable or drinking water service.

1.3. Details of the supplier of the safety data sheet

Company:

Supplier:

A.W. CHESTERTON COMPANY

860 Salem Street

Groveland, MA 01834-1507, USA

Tel. +1 978-469-6446 Fax: +1 978-469-6785

(Mon. - Fri. 8:30 - 5:00 PM EST)

SDS requests: www.chesterton.com

E-mail (SDS questions): ProductMSDSs@chesterton.com

E-mail: customer.service@chesterton.com

Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive, Unit 105, Burlington, Ontario L7L 4X8 – Tel. 905-335-5055 EU: Chesterton International GmbH, Am Lenzenfleck 23, D85737 Ismaning, Germany – Tel. +49-89-996-5460

1.4. Emergency telephone number

24 hours per day, 7 days per week Call Infotrac: 1-800-535-5053

Outside N. America: +1 352-323-3500 (collect) NSW Poisons Information Centre (Australia): 13 11 26

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, 29 CFR 1910.1200, WHMIS 2015 and GHS. This product is considered an "article" under OSHA 29 CFR 1910.1200 - Hazard Communication Standard and Regulation (EC) No 1907/2006 (REACH).

2.1.2. Australian statement of hazardous nature

Not classified as hazardous according to criteria of Safe Work Australia.

2.1.3. Additional information

This product is not classified as a "hazardous material" in normal use as defined in: 29 CFR 1910.1200, 1915, 1916, 1917, Massachusetts Right-To-Know Law, Chapter 40, Acts and Resolves of 1983 (M.G.L. O. 111F).

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Hazard pictograms:NoneSignal word:NoneHazard statements:NonePrecautionary statements:NoneSupplemental information:None

[©] A.W. Chesterton Company, 2018 All Rights Reserved. ® Registered trademark owned by A.W. Chesterton Company in USA and other countries unless otherwise noted.

Date: 9 May 2018 SDS No. 1129-4

2.3. Other hazards

None expected in industrial use. PTFE is nonhazardous at ambient temperatures. At temperatures above 260°C (500°F), toxic decomposition products may be emitted. Due to toxic decomposition, avoid smoking (wash hands to avoid transfer to tobacco products) when handling PTFE products.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Hazardous Ingredients¹ % Wt. CAS No./ REACH CLP/GHS Classification EC No. Reg. No.

None

¹ Classified according to: • 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F), California Proposition 65

• 1272/2008/EC, GHS, REACH

WHMIS 2015Safe Work Australia

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: If overcome by decomposition fumes, remove to fresh air. If not breathing, administer artificial respiration.

Contact physician.

Skin contact: Not applicable

Eye contact: Not applicable

Ingestion: Not applicable

Protection of first-aiders: No special precautions.

4.2. Most important symptoms and effects, both acute and delayed

PTFE is nontoxic at ambient temperatures. However, small quantities of toxic gases may be produced at temperatures above 260°C (500°F), due to PTFE decomposition. Inhalation of these decomposition products may cause temporary flu-like symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Use extinguisher appropriate to the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Toxic fumes may be emitted at temperatures above 260°C (500°F). Product will burn in an atmosphere of > 95% oxygen, when an ignition source is present. See section 10.6 for hazardous combustion products.

5.3. Advice for firefighters

Recommend Firefighters wear self-contained breathing apparatus to protect against hazardous decomposition products.

Flammability Classification: -

HAZCHEM Emergency Action Code: 1 Z

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

No special requirements.

6.3. Methods and material for containment and cleaning up

No special steps required. Nontoxic.

Date: 9 May 2018 SDS No. 1129-4

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Not recommended for use in potable or drinking water service. Do not smoke when handling PTFE products; wash hands after handling to avoid transfer to tobacco products.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

7.3. Specific end use(s)

Not applicable

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limit values

Ingredients OSHA PEL 1 ACGIH TLV 2 UK WEL 3 AUSTRALIA ES 4 ppm mg/m 3 ppm mg/m 3 ppm mg/m 3 ppm mg/m 3

None

- ¹ United States Occupational Health & Safety Administration permissible exposure limits
- ² American Conference of Governmental Industrial Hygienists threshold limit values
- ³ EH40 Workplace exposure limits, Health & Safety Executive
- ⁴ Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003]

8.2. Exposure controls

8.2.1. Engineering measures

No special requirements. If using under extreme heat, use local exhaust.

8.2.2. Individual protection measures

Respiratory protection: Not required.

Protective gloves: Not normally needed.

Eye and face protection: Not normally needed.

Other: None

8.2.3. Environmental exposure controls

No special requirements.

Date: 9 May 2018 SDS No. 1129-4

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Odour odorless Colour white with red core Odour threshold not applicable Initial boiling point not applicable Vapour pressure @ 20°C not applicable Melting point % Aromatics by weight not applicable 372°C (702°F) % Volatile (by volume) рΗ not applicable not applicable Flash point not applicable Relative density not applicable Method not applicable Weight per volume not applicable **Viscosity** not applicable Coefficient (water/oil) not applicable **Autoignition temperature** not applicable Vapour density (air=1) not applicable **Decomposition temperature** not determined Rate of evaporation (ether=1) not applicable Upper/lower flammability not applicable Solubility in water insoluble

or explosive limits

Flammability (solid, gas) not applicable **Explosive properties** not applicable

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

Extreme heat above 260°C (500°F).

10.5. Incompatible materials

Oxidizers, Fluorine, Chlorine Trifluoride and related compounds and molten alkali metals.

10.6. Hazardous decomposition products

Carbon Monoxide, Carbon Dioxide, trace amounts of Hydrogen Fluoride, Perfluorocarbon olefins and other toxic fumes may be evolved above 260°C (500°F).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Primary route of exposure Inhalation (PTFE decomposition fumes) and skin contact.

under normal use:

Acute effects: PTFE is nontoxic at ambient temperatures. However, small quantities of toxic gases may be produced at

temperatures above 260°C (500°F), due to PTFE decomposition. Inhalation of these decomposition

Oxidising properties

not applicable

products may cause temporary flu-like symptoms.

Chronic effects: None

Carcinogenicity: This product contains no carcinogens as listed by the National Toxicology Program (NTP), the International

Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA) or

Regulation (EC) No 1272/2008.

Aspiration hazard: Not applicable Other information: None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

This material is not toxic to aquatic life. It is essentially inert to the environment.

Date: 9 May 2018 SDS No. 1129-4

12.2. Persistence and degradability

PTFE: material is chemically unreactive and nonbiodegradable.

12.3. Bioaccumulative potential

Not determined

12.4. Mobility in soil

In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

12.5. Results of PBT and vPvB assessment

Not available

12.6. Other adverse effects

None

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Unused product is not a regulated waste. Not classified as hazardous according to 2008/98/EC. Check local, state and national/federal regulations and comply with the most stringent requirement.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.2. UN proper shipping name

ADR/RID/ADN/IMDG/ICAO:
TDG:
NON-HAZARDOUS, NON REGULATED
NON-HAZARDOUS, NON REGULATED
NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.4. Packing group

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.5. Environmental hazards

NOT APPLICABLE

14.6. Special precautions for user

NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NOT APPLICABLE

14.8. Other information

NOT APPLICABLE

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations

Authorisations under Title VII: Not applicable

Restrictions under Title VIII: None
Other EU regulations: None
15.1.2. National regulations

US EPA SARA TITLE III

312 Hazards: 313 Chemicals:

None None

Other national regulations: None 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

[©] A.W. Chesterton Company, 2018 All Rights Reserved. ® Registered trademark owned by A.W. Chesterton Company in USA and other countries unless otherwise noted.

Date: 9 May 2018 SDS No. 1129-4

SECTION 16: OTHER INFORMATION

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways Abbreviations

and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE: Acute Toxicity Estimate BCF: Bioconcentration Factor

cATpE: Converted Acute Toxicity point Estimate

CLP: Classification Labelling Packaging Regulation (1272/2008/EC)

ES: Exposure Standard

GHS: Globally Harmonized System

ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods LC50: Lethal Concentration to 50 % of a test population

LD50: Lethal Dose to 50% of a test population

LOEL: Lowest Observed Effect Level

N/A: Not Applicable NA: Not Available

NOEC: No Observed Effect Concentration

NOEL: No Observed Effect Level

OECD: Organization for Economic Co-operation and Development

PBT: Persistent, Bioaccumulative and Toxic substance (Q)SAR: Quantitative Structure-Activity Relationship

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)

REL: Recommended Exposure Limit

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

STOT RE: Specific Target Organ Toxicity, Repeated Exposure STOT SE: Specific Target Organ Toxicity, Single Exposure TDG: Transportation of Dangerous Goods (Canada)

TWA: Time Weighted Average

US DOT: United States Department of Transportation vPvB: very Persistent and very Bioaccumulative substance

WEL: Workplace Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST) Key literature references

and sources for data: Chemical Classification and Information Database (CCID)

European Chemicals Agency (ECHA) - Information on Chemicals

Hazardous Chemical Information System (HCIS) National Institute of Technology and Evaluation (NITE)

Swedish Chemicals Agency (KEMI)

U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

Classification	Classification procedure
Not applicable	Not applicable

Relevant H-statements: None Hazard pictogram names: None

Changes to the SDS in this revision: Section 2.1.1.

Date of last revision: 9 May 2018 Further information: None

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.