

#### SAFETY DATA SHEET

in accordance with REACH (1907/2006/EC, as amended by 2015/830/EU) 29 CFR 1910.1200 and WHMIS 2015

Revision date: 1 March 2018 Initial date of issue: 11 September 2007 SDS No. 1024-11

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

370

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Multi-Service Carbon Yarn Packing. Controls water, steam, boiler feed, aqueous solutions of acids and alkalis. Non-reactive with all chemicals from pH 0-14 to 315°C (600°F) except oleum, fuming nitric acid, aqua regia and fluorine.

#### 1.3. Details of the supplier of the safety data sheet

Company:

Supplier:

A.W. CHESTERTON COMPANY

860 Salem Street

Groveland, MA 01834-1507, USA

Tel. +1 978-469-6446 Fax: +1 978-469-6785

(Mon. - Fri. 8:30 - 5:00 PM EST) SDS requests: www.chesterton.com

E-mail (SDS questions): ProductMSDSs@chesterton.com

E-mail: customer.service@chesterton.com

Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive, Unit 105, Burlington, Ontario L7L 4X8 – Tel. 905-335-5055 EU: Chesterton International GmbH, Am Lenzenfleck 23, D85737 Ismaning, Germany – Tel. +49-89-996-5460

#### 1.4. Emergency telephone number

24 hours per day, 7 days per week Call Infotrac: 1-800-535-5053

Outside N. America: +1 352-323-3500 (collect) NSW Poisons Information Centre (Australia): 13 11 26

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

### 2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, 29 CFR 1910.1200, WHMIS 2015 and GHS.

#### 2.1.2. Australian statement of hazardous nature

Not classified as hazardous according to criteria of Safe Work Australia.

#### 2.1.3. Additional information

None

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Hazard pictograms: None
Signal word: None
Hazard statements: None
Precautionary statements: None
Supplemental information: None

### 2.3. Other hazards

None expected in industrial use.

**Date:** 1 March 2018 SDS No. 1024-11

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Hazardous Ingredients<sup>1</sup> % Wt. CAS No./ REACH CLP/GHS Classification

 EC No.
 Reg. No.

 Graphite/Carbon
 50-60
 7782-42-5/
 NA

7782-42-5/ NA Not classified

231-955-3 7440-44-01/ 231-153-3

<sup>1</sup> Classified according to: • 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F), California Proposition 65

• 1272/2008/EC, GHS, REACH

• WHMIS 2015

· Safe Work Australia

#### **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

Inhalation: Remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

**Skin contact:** Wash skin with soap and water. Contact physician if irritation persists.

Eye contact: Flush eyes for at least 15 minutes with large amounts of water. Contact physician if irritation persists.

**Ingestion:** not applicable

Protection of first-aiders: No special precautions.

## 4.2. Most important symptoms and effects, both acute and delayed

Graphite dust and carbon fibers may cause mechanical irritation of the skin, eyes and nasal passages. Repeated inhalation of nuisance dust in excess of exposure limits over an extended period of time may result in injury to the lungs. Symptoms can include cough, shortness of breath and decrease in pulmonary function.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

### **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide, water, or foam

Unsuitable extinguishing media: None known

## 5.2. Special hazards arising from the substance or mixture

None

#### 5.3. Advice for firefighters

Recommend Firefighters wear self-contained breathing apparatus.

Flammability Classification: -

**HAZCHEM Emergency Action Code:** 1 Z

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Utilize exposure controls and personal protection as specified in Section 8.

### 6.2. Environmental Precautions

No special requirements.

### 6.3. Methods and material for containment and cleaning up

No special steps required. Nontoxic.

### 6.4. Reference to other sections

Refer to section 13 for disposal advice.

**Date:** 1 March 2018 SDS No. 1024-11

#### **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Utilize exposure controls and personal protection as specified in Section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in dry and ventilated area.

#### 7.3. Specific end use(s)

Multi-Service Carbon Yarn Packing. Controls water, steam, boiler feed, aqueous solutions of acids and alkalis, Non-reactive with all chemicals from pH 0-14 to 315°C (600°F) except oleum, fuming nitric acid, aqua regia and fluorine. Refer to the product instructions and product data sheet for more detailed application information.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limit values

Ingredients	OSHA	PEL <sup>1</sup>	ACGIF	I TLV <sup>2</sup>	UK V	VEL <sup>3</sup>	AUSTR/	ALIA ES4
	ppm	mg/m³	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m³
Graphite	15 mppcf	(resp.)	(resp.)	2	(resp.) (total)	4 10	(resp.)	3

- <sup>1</sup> United States Occupational Health & Safety Administration permissible exposure limits
- <sup>2</sup> American Conference of Governmental Industrial Hygienists threshold limit values
- <sup>3</sup> EH40 Workplace exposure limits, Health & Safety Executive
- <sup>4</sup> Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003]

#### Derived No Effect Level (DNEL) according to Regulation (EC) No 1907/2006:

#### Workers

Not available

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No 1907/2006:

Not available

#### 8.2. Exposure controls

### 8.2.1. Engineering measures

No special requirements. If exposure limits are exceeded, provide adequate ventilation.

#### 8.2.2. Individual protection measures

Respiratory protection: Not normally needed. If exposure limits are exceeded, use an approved dust respirator (e.g., EN filter

type P1).

Protective gloves: Recommended Eye and face protection: Safety glasses

Other: None

#### 8.2.3. Environmental exposure controls

No special requirements.

Date: 1 March 2018 SDS No. 1024-11

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical state solid Odour None Colour black Odour threshold not applicable **Initial boiling point** not applicable Vapour pressure @ 20°C not applicable **Melting point** not determined % Aromatics by weight not applicable % Volatile (by volume) not applicable not applicable Flash point not applicable Relative density not applicable Method not applicable Weight per volume not applicable **Viscosity** not applicable Coefficient (water/oil) not applicable not determined **Autoignition temperature** Vapour density (air=1) not applicable **Decomposition temperature** no data available

Upper/lower flammability or

not applicable

Rate of evaporation (ether=1) Solubility in water

not applicable insoluble

explosive limits

Flammability (solid, gas) not determined not determined Oxidising properties no data available

**Explosive properties** 9.2. Other information

None

### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

Refer to sections 10.3 and 10.5.

#### 10.2. Chemical stability

Stable

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

#### 10.4. Conditions to avoid

None

## 10.5. Incompatible materials

Oleum, fuming nitric acid, aqua regia, and Fluorine.

#### 10.6. Hazardous decomposition products

Strong oxidizers like liquid Chlorine and concentrated Oxygen.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

Primary route of exposure under normal use:

Inhalation, skin and eye contact. Personnel with pre-existing chronic respiratory impairments are

generally aggravated by exposure.

Acute toxicity -

Oral: Based on available data on components, the classification criteria are not met.

Substance	Test	Result
Graphite	LD50, rat	> 2000 mg/kg

Dermal: Based on available data on components, the classification criteria are not met.

Inhalation: Graphite dust and carbon fibers may cause mechanical irritation of the nasal passages.

Substance	Test	Result
Graphite	LC50, rat, 4 hours	> 2000 mg/m <sup>3</sup>

Skin corrosion/irritation: Graphite dust and carbon fibers may cause mechanical irritation of the skin.

Substance	Test	Result	
Graphite	Skin irritation, rabbit	Not irritating	

Serious eye damage/

irritation:

Graphite dust and carbon fibers may cause mechanical irritation of the eyes.

Substance	Test	Result
Graphite	Eye irritation, rabbit	Not irritating

**Date:** 1 March 2018 SDS No. 1024-11

Respiratory or skin

sensitisation:

Graphite: based on available data, the classification criteria are not met.

SubstanceTestResultGraphiteSkin sensitization (OECD 429), mouseNot sensitizing

Germ cell mutagenicity: Graphite: based on available data, the classification criteria are not met.

Carcinogenicity: As per 29 CFR 1910.1200 (Hazard Communication), this product contains no carcinogens as listed

by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA) or Regulation (EC) No

1272/2008.

**Reproductive toxicity:** Graphite: based on available data, the classification criteria are not met. **STOT-single exposure:** Graphite: based on available data, the classification criteria are not met.

STOT-repeated exposure: Repeated inhalation of nuisance dust in excess of exposure limits over an extended period of time

may result in injury to the lungs. Symptoms can include cough, shortness of breath and decrease in

pulmonary function. based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

Other information: None

#### **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

#### 12.1. Toxicity

Not determined. Graphite: 96 h LC50 (fish) > 100 mg/l.

## 12.2. Persistence and degradability

Graphite/Carbon: inorganic substances; exist in nature.

#### 12.3. Bioaccumulative potential

No information available

#### 12.4. Mobility in soil

Solid. Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

#### 12.5. Results of PBT and vPvB assessment

Not available

## 12.6. Other adverse effects

None known

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Unused product is not a regulated waste (not classified as hazardous according to 2008/98/EC). Can be disposed in a secure, properly licensed landfill. Check local, state and national/federal regulations and comply with the most stringent requirement.

### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1. UN number

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.2. UN proper shipping name

ADR/RID/ADN/IMDG/ICAO:

TDG:

NON-HAZARDOUS, NON REGULATED

NON-HAZARDOUS, NON REGULATED

NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.4. Packing group

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

© A.W. Chesterton Company, 2018 All Rights Reserved. ® Registered trademark owned by A.W. Chesterton Company in USA and other countries unless otherwise noted.

Date: 1 March 2018 SDS No. 1024-11

#### 14.5. Environmental hazards

NOT APPLICABLE

#### 14.6. Special precautions for user

NOT APPLICABLE

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NOT APPLICABLE

#### 14.8. Other information

NOT APPLICABLE

### **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU regulations

Authorisations under Title VII: Not applicable Restrictions under Title VIII: Not applicable

Other EU regulations: None 15.1.2. National regulations

#### US EPA SARA TITLE III

312 Hazards: 313 Chemicals:

None None Other national

regulations:

None

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **SECTION 16: OTHER INFORMATION**

Abbreviations ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

and acronvms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE: Acute Toxicity Estimate **BCF**: Bioconcentration Factor

cATpE: Converted Acute Toxicity point Estimate

CLP: Classification Labelling Packaging Regulation (1272/2008/EC)

ES: Exposure Standard

GHS: Globally Harmonized System

ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration to 50 % of a test population

LD50: Lethal Dose to 50% of a test population

LOEL: Lowest Observed Effect Level

N/A: Not Applicable NA: Not Available

NOEC: No Observed Effect Concentration

NOEL: No Observed Effect Level

OECD: Organization for Economic Co-operation and Development

PBT: Persistent, Bioaccumulative and Toxic substance (Q)SAR: Quantitative Structure-Activity Relationship

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)

REL: Recommended Exposure Limit

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

STOT RE: Specific Target Organ Toxicity, Repeated Exposure STOT SE: Specific Target Organ Toxicity, Single Exposure

TDG: Transportation of Dangerous Goods (Canada)

TWA: Time Weighted Average

US DOT: United States Department of Transportation vPvB: very Persistent and very Bioaccumulative substance

WEL: Workplace Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

Other abbreviations and acronyms can be looked up at www.wikipedia.org.

**Date:** 1 March 2018 **SDS No.** 1024-11

Key literature references Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)

and sources for data: Chemical Classification and Information Database (CCID)

European Chemicals Agency (ECHA) - Information on Chemicals

Hazardous Chemical Information System (HCIS) National Institute of Technology and Evaluation (NITE)

Swedish Chemicals Agency (KEMI)

U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

 Classification
 Classification procedure

 Not applicable
 Not applicable

Relevant H-statements: None

Hazard pictogram names: Not applicable

Changes to the SDS in this revision: Sections 1.3, 1.4, 2.1, 2.2, 3, 4.1, 5.3, 8.1, 11, 15.1.2, 16.

Date of last revision: 1 March 2018

Further information: None

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.